




Kenmore 26.5 cu. ft. Side-by-Side Refrigerator



- 46-51032 – White
- 46-51033 – Stainless
- 46-51034 – Bisque
- 46-51036 – Ultra Satin
- 46-51039 – Black

- Water filtration system with indicator light
- Tall, flush through-the-door dispenser with light and Ultra Ice®
- Multi Air Flow cooling system
- Snack/deli drawer
- 2 clear humidity-controlled crispers
- 4 glass shelves (3 adjustable, 3 spill-proof, 2 slide-out)
- 5 door storage bins (3 adjustable, 3 gallon), plus dairy bin
- 5 freezer shelves, 1 wire basket
- 3 freezer door bins
- Exterior electronic temperature controls with digital display
- Smooth, contoured doors with hidden hinges and aluminum handles
- ENERGY STAR® qualified
- 35 3/4" W x 69 3/4" H x 34 1/4" D

Selection	
White	46-51032
Stainless	46-51033
Bisque	46-51034
Ultra Satin	46-51036
Black	46-51039
Interior Capacities	
Total Volume (cu. ft.)	26.5
Refrigerator / Freezer Volume (cu. ft.)	16.3 / 10.2
Refrigerator Features	
Multi Air Flow System	•
Total Interior Shelves	4 Glass
Spill Proof Shelves	3
Adjustable Shelves	3
Slide-Out Shelves	2
Snack / Deli Drawer	1 Clear
Fruit / Vegetable Crisper	2 Clear Humidity-Controlled
Total Door Shelves / Bins	5 (3 Adjustable)
Gallon Door Storage	3
Covered Dairy Bin	•
Refrigerator Lights	2 LED
Water Filtration and Dispenser	
Water Filtration System	NSF® Certified.
Water Filter Change Indicator	•
Water Filter Location	Fresh Food Compartment
Water Filter Replacement†	46-9890
Through-the-Door Dispenser w/Light	Tall Flush
Cubed / Crushed Ice	Cubed / Crushed
Chilled Water	•
Extra Ice / Fast Ice Production	Ultra Ice®
Dispenser Control Lockout	•
Freezer Features	
Factory-Installed IceMaker	•
Removable Ice Storage Bin	•
Freezer Light(s)	1
Interior Shelves	5
Freezer Slide-Out Baskets	1 Wire
Freezer Door Shelves / Baskets / Bins	3
Frost-Free	•
General Features	
Electronic Temperature Controls (Exterior)	Digital Display
Drawer / Bin Color and Accents	Clear / White
Textured Steel Doors and Cabinet	Contoured, Smooth Doors
Door Handle Finish	Aluminum
Color-Matched Cabinet / Hinge (All Colors)	•
Hidden Hinges	•
Door Alarm	•
ENERGY STAR® Qualified	•
CEE Rating	Tier 1
Est. Energy Consumption (kWh / yr.)	590
Est. Yearly Operating Cost††	\$63
Volts / Amps	115 / 15
Shipping Weight (Approx. Lbs.)	328
Warranty	
1-Year Limited Warranty – Entire Appliance	Parts & Labor



If used for other than private family purposes, warranty applies for only 90 days.

†Replacement filters available at local Sears stores
††All energy \$/Yr. figures are calculated at the national average cost of \$0.1065/kWh. Energy rebates are offered and paid by the energy supplier in states where such programs exist. Criterion is based on percentage of energy efficiency attained beyond the 2007 standard. Dollar amounts may differ.

NSF Certified, the NSF (National Sanitation Foundation) is an independent national agency that establishes standards by which water filtration products are manufactured and tested.



Because of our continuous program of product improvement, Sears reserves the right to change materials and specifications without notice. Consult installation instructions packed with the product for final dimensional data. For complete warranty information, contact your local Sears Commercial Account Manager.



Total volume and shelf area ratings are calculated by the Association of Home Appliance Manufacturers' standards.




Measure Twice...Order Once

Step-by-Step Instructions to Assure You Order the Proper Size Refrigerator

It's Just Good Measure To Double Check Before You Order!

1. Measure the opening for the refrigerator. Don't forget baseboards, molding, tile, countertop overhang, etc. If there is an island in your kitchen, be sure there is enough room to open the door.
2. Refer to the chart for the exact dimensions of the refrigerator.
3. IMPORTANT! Calculate the minimum opening required. When installing next to cabinets, you must allow for Door Edge Clearance. (Multiply Door Edge Clearance by 2 for counter-depth models.) When installing next to a wall, you must allow for the Handle Clearance.
 Adjacent Cabinet: _____ "F" + _____ Door Edge = _____ Min. Opening
 Adjacent Wall: _____ "F" + _____ Handle = _____ Min. Opening
4. Calculate how much the refrigerator will protrude from cabinetry. If the result is undesired, consider a counter-depth model.
 _____ "C" - _____ 24" Cabinet Depth + _____ approx. 2" Electric & Water Connection Clearances = _____ which will Protrude Past Cabinets
5. Measure each door and entry way in the home leading to the kitchen to ensure the refrigerator can be moved through.



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>